


# DC FANS

## CPU COOLERS

### CPU COOLER / SOCKET 7 & 370

Cooltech. Clip-on heatsink and ball bearing fan for Celeron 370, AMD-K6 and compatible processors. 50mm diameter ball bearing fan. 12 Vdc @ 0.05 A. 9.4 CFM, 4200 RPM, 23dBA. Overall size of fan and heatsink, 50 x 50 x 40mm high. Three 8" leads with 3-pin female connector (0.1" centers).

**CAT# CF-395** \$4.50 each



### 5 VDC 25 MM

Sunon MagLev #GM0502PFV2-8 5 Vdc, 0.4W. 25 x 25 x 10mm. 3.0 CFM. 16 dBA. Two 5.5" leads w/ 2-pin socket connector.

cULus. **CAT# CF-393** \$3.00 each



### 12 VDC 40 MM

Sunon MagLev # KDE1204PFV2 12Vdc, 1.0W. 40 x 40 x 10mm. 7.0 CFM. 27 dBA. Two 2.3" leads w/ 2-pin socket connector.

cULus. **CAT# CF-392** \$3.25 each



### 12 VDC 60 MM

Adda # AD0612LB-A70GL. 12Vdc brushless, ball bearing, low-noise fan. 12Vdc, 0.08A. 60 x 60 x 25mm. 2500 RPM. 13.2 CFM. 16.1 dB/A. Two 10" pigtail leads. UL, CSA, CE.

**CAT# CF-380** \$2.50 each



### 12 VDC 80 MM

Nidec, Beta SL(R) D08K-12TG 04B(AX). 12Vdc, 0.13A cooling fan. 80mm x 80mm x 25mm. Three 7" leads with 3-contact female connector. UL, CSA.

**CAT# CF-337** \$3.00 each



Fonsan DFB0812L (or equivalent) 12Vdc 0.08A cooling fan. 80 x 80 x 25mm. Metal fan guard attached with nylon rivets is easily removable. Two 3.5" leads with 2-contact female connector. Used, in good condition. UL, CSA.

**CAT# CF-396** \$2.50 each



### 18 VDC 60 MM

Matsushita Panaflo # FBM06F18H. 18Vdc, 0.13 Amp. 60 x 60 x 20 mm. 11-blade impeller. Two 1.4" leads with 2-conductor male connector. **CAT# CF-279** \$2.25 each • 10 for \$2.00 each 100 for \$1.35 each



### 24 VDC 60 MM

Adda # AD0624HS-A70GL 24 Vdc, 0.15 Amp, 60mm x 60mm x 25mm. 23 CFM. Sleeve bearings. 7-blade impeller. Two 16" leads with 2-pin female connector (0.1" centers). UL, CSA, CE.

**CAT# CF-276** \$2.75 each 10 for \$2.50 each • 100 for \$2.00 each



# AC FANS

### 115 VAC 80 MM

EZ Fan # FP-108A-S-3. 3.13" square X 1.5". 110/120 Vac, 50/60 Hz. 0.08/0.06 A. 6/5 W. 17 CFM. Zinc housing with seven blade thermoplastic impeller. Terminals accept standard fan plug or can be soldered. UL, CSA.

**CAT# CF-117** \$14.80 each



### 115 VAC 120 MM

4.69" square x 1.5" Aluminum housing. Thermoplastic impeller. Terminals accept standard fan plug or can be soldered. UL, CSA, TUV, CE.



### 54 CFM, SLEEVE BEARINGS

EZ Fan # FP-108-1-S3 2000 RPM. 54 CFM. 34 dBA. **CAT# CF-120** \$14.80 each

### 54 CFM, BALL BEARINGS

EZ Fan # FP-108-1-S3B. 110/120 Vac, 0.11 Amps. 54 CFM. **CAT# CF-275** \$18.95 each

### 120 CFM, SLEEVE BEARINGS

EZ Fan # FP-108-U S1 3000 RPM. 120 CFM. 45 dBA. **CAT# CF-281** \$15.00 each

### 120 CFM, BALL BEARINGS

EZ Fan # FP-108-U S1B or (SU-BBT) 3000 RPM. 120 CFM. 45 dBA. **CAT# CF-282** \$19.00 each

# CENTRIFUGAL BLOWERS

### 12VDC 50MM BLOWER

Delta #BFB0512VHD. 12Vdc, 0.28A blower. 50 x 20mm, ball bearing blower. 5300 RPM. 6.75 CFM. 38.5db-A. Two 13" leads terminated with a 2-pin socket connector (.01" spacing). UL, CSA, CE, VDE.

**CAT# CF-371** \$3.75 each



### 24 VDC 76MM BLOWER

Nidec, Gamma28, Model A33476-68. 24Vdc, 0.15Amp, 76mm square x 30mm (3" x 1.18"). Three 3" leads with 3-conductor connector, 0.1" spacing. UL, CSA.

**CAT# CF-314** \$ 5.75 each

