



# RECHARGEABLE BATTERIES



## RECHARGEABLE NICKEL METAL HYDRIDE


Nickel Metal Hydride batteries have double the capacity of standard nickel cadmium cells and can be charged faster without the "memory problems" associated with nickel cadmium batteries.

### NI-MH AAA CELL W/ SOLDER TABS

Rechargeable Ni-Mh AAA cell with solder tabs. 1.2V 600 mA.H.   
**CAT# NMH-AAAT \$2.75 ea. • 10 for \$25.00**


**AAA CELL** 1.2 Volt, 1000 mAh. 0.4" dia. X 1.74" long.   
**CAT# NMH-AAA \$2.50 each • 10 for \$21.00**


**AAA NIMH**    
 Sanyo "eneloop" 1.2V 750-800mAh rechargeable battery. According to the literature, the key-advantage of the eneloop compared to conventional rechargeable batteries is its extremely low self-discharge. Once charged eneloop keeps 75 percent of its charge after 3 years. Older date code. Special price.  
**CAT# NMH-R3 \$1.60 each**  
 10 for \$1.25 each

**NiMH AA CELL, W/ SOLDER TABS**   
 1.2 Volt, 2000 mA.H.  
**CAT# NMH-AAT \$3.25 each**


**AA CELL, 2500 MAH**   
 ULTRA-HIGH CAPACITY 1.2 Volt, 2500 mA.H. 0.56" diameter x 1.99" long.  
**CAT# NMH-AA \$2.95 each**  
 8 for \$2.75 each • 60 for \$2.40 each

**C-CELL, 5000 MAH**   
 1.2V. 26mm dia, x 50mm long. Standard charge, 16 Hours @ 300mA. Rapid charge, 2 Hours @ 3000 mA.  
**CAT# NMH-C \$5.95 each**


**D-CELL, 10,000 MAH**   
 1.2V. 33mm dia. x 60mm long. Standard charge, 15 Hours @ 800mA. Rapid charge, 3 Hours @ 4000 mA. Weight, 0.36 lbs per cell.  
**CAT# NMH-D \$10.85 each**

**9V 250 MAH**   
**CAT# NMH-925**  
 \$6.35 each • 10 for \$5.85 each

## RECHARGEABLE NICKEL-CAD

**AA CELL** 1.2 Volt, 800 mA.H.   
**CAT # NCB-AA \$2.25 each**  
 10 for \$2.00 each • 100 for \$1.50 each


## NICKEL-CAD CELLS W/ SOLDER TABS


1.2 Volt cells with solder tabs. For building or re-building battery packs. 


Type	CAT #	Dimensions
Capacity		1-9 10+
<b>AA</b>	<b>NCB-SAA</b>	<b>0.56" x 1.90"</b>
<b>900 mA.H</b>		2.75 2.50
<b>Sub-C</b>	<b>NCB-SC</b>	<b>0.90" x 1.69"</b>
<b>1800 mA.H</b>		4.95 4.75


## RECHARGEABLE PACKS FOR CORDLESS PHONES


NCB-300 and NCB-600 below have a "universal" connector that can be configured to fit most phones. Pictures and instructions available on our web site.

**2/3 AA PACK**   
 3.6 Volts, 300 mA.H. Three 2/3 AA cells. Nickel cad.  
**CAT# NCB-300**  
 \$3.45 each • 10 for \$3.10 each

**AA PACK**   
 3.6 Volts, 800 mA.H. Three AA cells. Nickel cad.  
**CAT# NCB-600**  
 \$6.25 each • 10 for \$6.00 each


**2.4V, 800 mA.H** Nickel Metal Hydride.   
 Two AAA cells with 2-conductor female JST connector. 1.85" x 0.81" x 0.43".  
**CAT# NMH-JST2 \$6.00 each**

**3.6V, 800 mA.H** Nickel Metal Hydride.   
 Three AAA cells with 2-conductor female JST connector. 1.85" x 1.23" x 0.43".  
**CAT# NMH-JST3 \$6.50 each**

**3.6V, 800 mA.H**, Nickel Metal Hydride   
 Three AAA cells with 2-conductor female MS connector. 1.85" x 1.23" x 0.43".  
**CAT# NMH-MS \$6.50 each**

## RECHARGEABLE LI-ION PRISMATIC CELLS

### 3.7V 550 MAH IPOD MINI BATTERY

Li-Polymer rechargeable iPod Mini battery. 33 x 40 x 4.5mm overall.   
 Built-in charge control board. Three 38mm leads with female connector.  
**CAT# LBAT-54 \$3.50 each**

## CHARGER FOR NIMH OR NICAD

### For AA, AAA, C, D

and 9V batteries   
 For Nickel Metal Hydride or Nickel Cadmium rechargeable batteries. Slow and fast charge settings. LED indicators to monitor charge. UL.  
**CAT# BC-26 \$13.95 each**

## PLUG-IN NICAD & NI-MH BATTERY CHARGER

Charge 2 or 4 AA/AAA batteries. Input 120 Vac. Red LED indicates charging. AC plug folds into case for ease of storage. UL.

**CAT# BC-33** \$6.95 each



## SEALED LEAD ACID BATTERIES

Maintenance-free, rechargeable sealed lead-acid batteries. Can be used in any position and can be trickle charged for long periods of time. Excellent for alarms, communications and back-up applications. WILL NOT LEAK.



### 6 VOLT 1.2 AH

3.82" x 0.96" x 2.22" 0.64 lb

**CAT# GC-612** \$8.00 each

### 6 VOLT 4.5 AH

2.76" x 1.85" x 4.17" 1.83 lb

**CAT# GC-64** \$10.00 each

### 6 VOLT 12 AH

5.94" x 1.94" x 3.82" 4.06 lb

**CAT # GC-610** \$19.50 each

### 12 VOLT 1.2 AH

3.82" X 1.68" X 2.07" high. 1.32 lb

**CAT # GC-1212** \$12.50 each



### 12 VOLT 2.3 AH

7.00" x 1.38" x 2.50" 2.20 lb

**CAT# GC-1223** \$15.00 each

**12 VOLT 5 AH** 3.54" x 2.76" x 4.21" 3.09 lb

**CAT# GC-125** \$17.50 each

**12 VOLT 7.5 AH** 5.94" x 2.56" x 3.94" 4.96 lb

**CAT# GC-1270** \$23.50 each

**12 VOLT 12 AH** 5.94" x 3.88" x 4.00" 8.38 lb

**CAT# GC-1214** \$43.00 each

**12 VOLT 18 AH** 7.13" x 3.01" x 6.57" 11.90 lb

**CAT# GC-217** \$59.00 each

## 12V CHARGERS FOR LEAD ACID

### DURACELL 2 AMP BATTERY CHARGER/ MAINTAINER

Ideal for cars, motorcycles, snow mobiles, rc models and toys. Three stage, integrated circuit controlled charging cycle for 12V sealed lead acid batteries, 5 -20 AH capacity. Charges and maintains batteries at peak stand-by-level until needed. Short circuit, over current, over voltage battery polarity protection. Three quick-connect adapters with ring terminals, alligator clips and cigarette lighter plug. UL.



**CAT# BC-80** \$21.95 each

## 12 VDC DUAL-STAGE CHARGERS

Dual stage output and regulated current control to insure that no damage occurs while battery remains on charger. "Fast-charge" cycle of 15Vdc, brings battery to fully charged state at which point the float-charge takes over, maintaining the battery at a constant 13.8 Vdc. LED indicators; red indicates fast-charge, green indicates power-on and float-charge. Screw terminals allow user to attach desired cable and connector. UL.



### Charge Rate

500 mA

1A

### CAT#

**BC-212**

**BC-201**

### each

\$14.00

\$19.00

## 24 VDC 3 AMP BATTERY CHARGER

Soneil 2408S33-B. Charges 24 Volt gel, sealed or wet, lead-acid batteries to a full charge and maintains a float charge during periods of inactivity. Solid-state circuitry prevents overcharging. LED lamps indicate charging cycle. Fuse protected. 2' output cord with 4-pin polarized connector. Detachable power cord included.



**CAT# BC-240** \$35.95 each

## RECHARGEABLE CR123 BATTERY

RCR123A 3.0V 750mA Rechargeable LiFePO4 battery. 16.5mm dia. x 34mm long. Rechargeable replacement for CR123 lithium cells used in flashlights and cameras. Charger for this battery - CAT# BCR-123.

**CAT# LCR-123** \$3.75 each



## CHARGER FOR RCR123A 3.0V CELL

Lightweight charger for rechargeable CR123 (RCR123A) lithium batteries. IC control prevents overcharging.

LED status lamp:

Red = charging,  
Green = fully charged.

Charger output 3.6Vdc / 360mA.

Includes cords for home or automobile charging.

**CAT# BCR-123** \$21.00 each



# BATTERIES NON-RECHARGEABLE

## INDUSTRIAL ALKALINE BATTERIES

### DURACELL® PROCELL®

#### AA CELL,

1.5 VOLT 2100 mA

**CAT # PRC-1500** 75¢ each



#### AAA CELL, 1.5 VOLT 1000 mA

**CAT # PRC-2400** 75¢ each

#### C CELL 1.5 VOLT 7000 mA

**CAT # PRC-1400** \$ 1.75 each

#### D CELL 1.5 VOLT 14000 mA

**CAT# PRC-1300** \$1.75 each

#### 9 VOLT BATTERY 565 mA

**CAT # PRC-1604** \$ 2.75 each

## 12 VOLT ALKALINE BATTERIES FOR REMOTES

12V 27A MN27. For remote controls, lighters and other electronic devices. Also known as G27A / MN27A / A27 / L828 / EL812 / EL-812 / CA22 / VR22 / CN22 / CN23A / Bronica B-1. 0.3" diameter x 1.08" long.



**CAT# BAT-27** \$1.75 each

0.41" dia. x 1.13" long cylindrical cell used in keychain alarm remotes and photo apps. **CAT # BAT-12** \$1.25 each • 10 for \$ 10.00



## 6 VOLT ALKALINE BATTERY

4LR44, L1325, 28A, A544, PX28A. 25mm long x 13mm diameter.



**CAT# BAT-44** \$2.00 each  
5 for \$1.75 each

## HEAVY-DUTY CARBON-ZINC BATTERIES

The economical choice for low drain devices like remote controls, clocks, smoke alarms, radios and flashlights.



AAA CELL **CAT# HD-AAA** 4 for \$1.00 100 for \$20.00  
AA CELL **CAT# HD-AA** 4 for \$1.00 100 for \$20.00  
C CELL **CAT# HD-C** 2 for \$1.00 96 for \$34.56  
9 VOLT **CAT# HD-9V** 85¢ each 96 for \$54.72

## LITHIUM BATTERIES

Lithium batteries have a very long shelf life, typically ten years or more. They are not rechargeable.

### 3 VOLT, 50 mA

CR1616. 16mm diameter x 1.6mm thick.  
**CAT# LBAT-28** \$1.00 each



### 3 VOLT, 75 mA

CR2016. 0.787" diameter X 0.06" thick.  
**CAT# LBAT-21** 75¢ each  
10 for \$6.50 • 100 for \$45.00



### 3 VOLT 150 mA

CR2025. 0.8" diameter x 0.1" thick.  
**CAT# LBAT-44** \$1.00 each  
10 for 75¢ each



### 3 VOLT, 180 mA

Toshiba# CR2032. 3 volt, 180 mA. 0.8" diameter. **CAT # LBAT-20** \$1.00 each • 10 for \$8.50 • 100 for \$70.00



### CR2450 3V

24.5mm dia. x 5mm thick. 3V.  
**CAT# LBAT-2450** \$1.50 each



### 3V LITHIUM CELL, CR-2

High-energy Reliant Lithium Battery. Replaces CR2, DLCR-2, EL1-CR2, RCLR2, 5046LC batteries. 0.6" dia. x 1.06". Long-life power source used in high-performance flashlights, cameras and digital electronics. Best if used by 2015. **CAT# LBAT-2** 85¢ each  
10 for 75¢ each • 200 for 50¢ each



## LITHIUM BATTERY CR123A

3V, 1300 mAh. Long-life power source used in high-performance flashlights, cameras and digital electronics. 1.34" long x 0.65" diameter. Replaces: Energizer EL123APB2, Duracell DL202, Panasonic CR123A, Kodak K123LA, GE Sanyo CR123A.



**CAT# LBAT-123** \$2.00 each  
10 for \$1.85 each

## ER 9V 1200MAH LITHIUM BATTERY

9V, 1200 mAh Lithium Manganese Dioxide (Li-MnO<sub>2</sub>) battery. High-energy density, long-lasting replacement for 9V alkaline or carbon-zinc batteries. Wide operating temperature range, -40C to 60C. Lasts up to 5X longer than alkaline, 10X longer than carbon zinc. Ideal for medical, music, audio, safety and communication devices. Maximum recommended continuous current, 400mA. Nickel-plated steel housing. Not rechargeable. UL Recognized.



**CAT# LBAT-92** \$6.75 each  
10 for \$6.50 each

## 3.6V 1/2AA-SIZE BATTERY W/ WIRE LEADS

3.6V, 1200mAh non-rechargeable lithium battery with wire leads. 14mm diameter x 24mm long.



**CAT# LBAT-125** \$3.00 each

## 3.6V AA SIZE BATTERY W/LEADS

3.6V, 2400mAh, non-rechargeable lithium battery with wire leads. 14mm dia. x 51mm long.



**CAT# LBAT-124** \$4.00 each

## 1.5V BUTTON CELLS

### AG-13 11.5mm diameter x 5.5mm.

Cross to 357, AG-13, A-76, LR-44, V13GA and RW-82. Alkaline.



**CAT# BAT-7** 75¢ each • 10 for \$5.00

### AG10/L1131

Vinnic® L1131. Cross to LR54, 189, RW89, AG10. 11.6mm diameter x 3mm high.

**CAT# BAT-11** 75¢ each  
10 for 50¢ each

**AG-3** Cross to AG-3, 392A, SR41, CX41, LR41W and others. 7.9mm diameter x 3.6mm. Alkaline.

**CAT# BAT-3** 50¢ each • 10 for 40¢ each

**SG-4** replaces AG-4, 626A, 377A, CX66W and others. 6.8mm diameter x 2.6mm. Silver oxide.

**CAT# BAT-4** 75¢ each • 10 for 50¢ each

**386S** (silver oxide) replaces SG12/G12/SR43/ 386/ 548/6/RW24, 44 button cell. 0.45" dia. x 0.15" thick. For watches, cameras, games etc.

**CAT # BAT-8** 95¢ each • 10 for \$7.00

## BATTERY SELECTOR

Quickly identify all kinds of button cell batteries. Common numerical designation is next to the slot that fits the battery.

**CAT# BS-3** \$2.00 each

