

# PHONE ACCESSORIES

## CRIMP-ON MODULAR PLUGS

For use with flat telephone wire. Eight pin plugs are for flat cable or CAT5/5E round cable. Crimp tool is on page 75.

### 4 PIN (6 x 4) RJ-11 MODULAR PLUGS

**CAT # CMP-4** 10 for \$ 2.50  
50 for \$ 10.00 • 100 for \$18.00



### 4 PIN (4 X 4) HANDSET PLUG

**CAT# CMP-40** 35¢ each  
100 for 25¢ each



### 6 PIN (6 x 6) RJ-12 MODULAR PLUGS

**CAT # CMP-6** 10 for \$3.00  
50 for \$12.50 • 100 for \$20.00



### 8 PIN RJ-45 MODULAR PLUGS

For round Category 5/5E cable or 8-conductor flat cable.

**CAT # CMP-8** 10 for \$ 3.50  
50 for \$ 15.00 • 100 for \$22.50



## MODULAR JACKS & PLUGS

### MODULAR CORD COUPLER

**CAT# MT-104** 75¢ each  
10 for \$6.50 • 100 for \$45.00  
1000 for \$300.00



### SURFACE MOUNT MOD WALL JACKS

Includes mounting screws and double-sided tape. For new construction or retrofitting.



**4 Conductor CAT # MT-103** 65¢ each  
10 for 50¢ each • 100 pcs for 40¢ each

**6 Conductor CAT # MT-111** 75¢ each  
10 for 60¢ each • 100 pcs for 46¢ each

**8 Conductor CAT # MT-181** \$1.25 each

### T-ADAPTER FOR MODULAR JACK

For connection of two phones or one phone and one answering machine to one jack.

**CAT# MT-101** \$1.10 each  
10 for \$9.00 • 100 for \$70.00



### 1 TO 3 MOD PHONE JACK SPLITTER

Allows you to plug three phone devices into one jack. Modular phone plug to three modular phone jacks.

**CAT# MT-110** \$1.45 each



### MOD PHONE CORD SPLITTER

T-adapter for 4-conductor modular telephone cord. Enables the use of two phones or devices on one cord.

**CAT# MT-118** 75¢ each  
100 for 50¢ each  
500 for 40¢ each • 1000 for 25¢ each



### 2 LINE SPLITTER

Splits 2-line jacks into Line 1, Line 2 and Line 1 & 2.

**CAT # MT-105** \$1.50 each



## 25' TELEPHONE EXTENSION CORD

Modular plug one end - dual modular jacks on other end. 6-conductor.

**CAT# MT-EX2**

\$2.40 each



## MODULAR PHONE JACKS

**4-PIN** Horizontal entry. PC leads

**CAT# MT-41** 75¢ each  
10 for 65¢ each • 100 for 55¢ each



### RJ-11 JACK (6-PIN) W/ LEDS

Amphenol # RJHS 7067. 6-pin RJ-11 modular jack. Red and green LEDs in left and right corners. Horizontal, pc mount. Large quantity available.

**CAT# MT-92** 75¢ each  
100 for 55¢ each • 1300 for 40¢ each



**8-PIN** Horizontal entry. PC leads.

**CAT# MT-82** 75¢ each  
10 for 65¢ each • 100 for 55¢ each



### RJ-45 JACK W/ LEDS

Shielded 8-pin, RJ-45 modular jack. Green LED in upper right corner. Yellow LED in upper left (looking at the jack). PC mount.

**CAT# MT-86**

85¢ each • 100 for 75¢ each



## MODULAR LINE CORDS

### 4 WIRE - MOD PLUGS BOTH ENDS (RJ-11)

Cross wired for telephone-voice apps.



DESCRIPTION	CAT#	1-9	100+
7 Feet	<b>MT-260</b>	.70	.50
15 Feet	<b>MT-264</b>	1.00	.85
25 Feet	<b>MT-261</b>	1.25	1.10

### SPECIAL

<b>50 Feet</b>	<b>MT-370</b>	2.25	2.00
----------------	---------------	------	------

## 25' "FINE LINE" PHONE CORD

Thin, flexible, easy to conceal.



**CAT# MT-276** \$1.75 each

### 6 WIRE - MOD PLUGS BOTH ENDS

Straight-wired for data applications.



DESCRIPTION	CAT#	1-9	10+	100+
7 Feet	<b>MT-363</b>	1.25	1.10	.85
15 Feet	<b>MT-366</b>	1.60	1.50	1.20
25 Feet	<b>MT-369</b>	2.20	1.65	1.30

## PHONE PICK-UP

Universal telephone pick-up Suction cup attaches to the earpiece side of a telephone handset. Picks up both sides of the phone conversation. Terminates to a 3.5 mm plug.



**CAT# TPX-1** \$2.00 each







## PHONE NETWORK JUNCTION BOX

Surface-mount box provides an RJ-11, 4-conductor jack for testing of phone line. Also provides a way to disconnect while working on circuit.

**CAT# MT-640** 65¢ each  
10 for 45¢ each



## UHF CONNECTORS

	<u>CAT#</u>	<u>1-9</u>	<u>10-99</u>	<u>100+</u>
	<b>PL-259 PLUG</b>			
	<b>PL-259</b>	1.00	.90	.80
	<b>REDUCER</b> for RG-58 cable (Fits PL-259)			
	<b>UG-175</b>	.30	.25	.20
	<b>REDUCER</b> for RG-59 cable (Fits PL-259)			
	<b>UG-176</b>	.30	.25	.20
	<b>CRIMP STYLE</b> PL-259 (Fits RG-59/RG-62)			
	<b>PL-259C</b>	1.00	.90	.80
	<b>MALE COUPLER</b> PL-258			
	<b>UHF-UHF</b>	1.50	1.25	.90
	<b>SO-239 CHASSIS MOUNT</b>			
	<b>SO-239</b>	1.00	.90	.80









### PL-259 EXTENSION CABLE



10' RG-58U coax cable with PL-259 male one end, female on other end.

**CB-336** 2.25 2.00 1.65

## ADAPTERS







	<u>CAT#</u>	<u>1-9</u>	<u>10-99</u>	<u>100+</u>
	<b>F FEMALE to RCA MALE</b>			
	<b>F-RCA</b>	.75	.65	.50
	<b>F FEMALE to BNC MALE</b>			
	<b>F-BNC</b>	1.30	1.10	.90
	<b>RCA FEMALE to F MALE</b>			
	<b>RCA-F</b>	1.00	.80	.60
	<b>RCA FEMALE to BNC MALE</b>			
	<b>RCA-BNC</b>	.80	.70	.55
	<b>UHF FEMALE to BNC MALE</b>			
	<b>UHF-BNC</b>	1.80	1.25	1.20
	<b>BNC FEMALE to F MALE</b>			
	<b>BNC-F</b>	1.50	1.25	1.00
	<b>BNC FEMALE to RCA MALE</b>			
	<b>BNC-RCA</b>	1.00	.80	.60
	<b>BNC FEMALE to UHF MALE</b>			
	<b>BNC-UHF</b>	2.00	1.75	1.40

## AUDIO / POWER / SIGNAL PLUGS & JACKS






### RCA PLUGS

	<u>CAT#</u>	<u>1-9</u>	<u>10-99</u>	<u>100+</u>
	<b>RED PLASTIC HANDLE</b>			
	<b>PPRP-R</b>	.50	.45	.35
	<b>BLACK PLASTIC HANDLE</b>			
	<b>PPRP-B</b>	.50	.45	.35
	<b>SHIELDED, METAL</b>			
	<b>MPRP</b>	.85	.75	.50
	<b>Heavy-duty, metal. New, cut-off of cable assembly. Gold-plated plug, black knurled body with red marker stripe. 0.2" dia. spring strain relief.</b>			
	<b>MPRP-U</b>	.65	.50	





## RCA JACKS

	<u>CAT#</u>	<u>1-9</u>	<u>10-99</u>	<u>100+</u>
	<b>SINGLE HOLE CHASSIS MOUNT</b> (threads from back)			
	<b>RCMJ</b>	.40	.35	.25
	<b>IN-LINE RED PLASTIC</b>			
	<b>PIRP-R</b>	.50	.45	.35
	<b>IN-LINE BLACK PLASTIC</b>			
	<b>PIRP-B</b>	.65	.55	.40
	<b>IN-LINE METAL</b>			
	<b>MIRJ</b>	.80	.70	.50
	<b>With N.C. switch. Plain bushing.</b>			
	<b>RCJ-65</b>	.20	.15	.10
	<b>RIGHT ANGLE, PCB MOUNT RCA JACK.</b> Mounting legs on 7mm centers. Yellow insert.			
	<b>RCJ-6Y</b>	.10	.09	.06





### 3.5mm JACKS

	<u>CAT#</u>	<u>1-9</u>	<u>10-99</u>	<u>100+</u>
	<b>MONO JACK</b> Two-conductor. 6mm diameter threaded bushing.			
	<b>MMJ</b>	.75	.65	.50
	<b>3.5MM STEREO JACK</b> 6mm dia. threaded bushing. Solder loop terms.			
	<b>SMJ-2</b>	.85	.75	.50
	<b>STEREO 3.5MM MINI-PHONE JACK.</b> Two normally-closed shunts - open when plug is inserted. 6mm diameter threaded bushing. PC leads - can be wrapped and soldered.			
	<b>SMJ-6</b>	.85	.75	.50
	<b>MONO PLASTIC, IN-LINE</b>			
	<b>MJI</b>	.90	.80	.60
	<b>STEREO PLASTIC, IN-LINE</b>			
	<b>SJI</b>	1.00	.90	.70

### 3.5mm PLUGS

	<u>CAT#</u>	<u>1-9</u>	<u>10-99</u>	<u>100+</u>
	<b>MONO, PLASTIC</b>			
	<b>PMP</b>	.85	.75	.60
	<b>MONO, METAL</b>			
	<b>MMP</b>	1.00	.85	.70
	<b>STEREO, PLASTIC</b>			
	<b>SMP</b>	1.25	1.15	.95
	<b>STEREO, METAL</b>			
	<b>SMPM</b>	1.50	1.35	1.25

### 1/4" PLUGS

	<u>CAT#</u>	<u>1-9</u>	<u>10-99</u>	<u>100+</u>
	<b>MONO, PLASTIC</b>			
	<b>SPH</b>	1.00	.85	.60
	<b>MONO, METAL</b>			
	<b>MPHM</b>	1.35	1.20	.95
	<b>MONO, METAL - thick wall</b>			
	<b>MPH-5</b>	4.00	3.80	
	<b>MONO, METAL Gold plated plug and solder terminals</b>			
	<b>MPH-11</b>	1.50	1.35	
	<b>MONO, METAL, Right angle</b>			
	<b>MPH-6</b>	1.75	1.50	
	<b>STEREO, PLASTIC</b>			
	<b>PHPS</b>	.75	.65	.55
	<b>STEREO, METAL</b>			
	<b>MPHS</b>	1.50	1.35	1.10



## 1/4" JACKS - Reduced Prices!

CAT#	1-9	10-99	100±
<b>MONO, 2-CONDUCTOR</b>			
N.C. switch.			
PHJ-S	1.05	.95	.70
<b>MONO, IN-LINE</b>			
Plastic			
PHJ-6	1.25	1.10	.90
<b>STEREO, 3-CONDUCTOR W/ N.C. SWITCHES</b>			
SPHJ-S	1.20	1.00	.75
<b>STEREO, IN-LINE</b>			
Plastic			
SPJ-17	1.25	1.10	.90






## BANANA JACKS / BINDING POSTS

CAT#	each	10	100	
RED PLASTIC CHASSIS MOUNT				
BJL-R	.60	.50	.35	
BLACK PLASTIC CHASSIS MOUNT				
BJL-B	.60	.50	.35	
Heavy-duty, gold-plated, banana-jack binding posts. No lower insulator. Must fasten through a non-conductive material.				
CAT#	color	each	10	100
BP-B	Black	1.10	.95	.70
BP-R	Red	1.10	.95	.70


## BANANA PLUGS

CAT#	each	10	100
RED PLASTIC			
BPL-R	.50	.45	.30
BLACK PLASTIC			
BPL-B	.50	.45	.30
Heavy-duty with set screw			
RED PLASTIC			
BP-26R	.90	.75	
BLACK PLASTIC			
BP-26B	.90	.75	
DUAL BANANA PLUGS, STACKABLE 0.75" plug centers. 0.15" cable opening for up to 8 gauge wire. Red plastic body. Color-coded, knurled binding screws. Gold plated.			
CAT# BP-23	\$3.00 each		
DUAL BANANA PLUG 0.75" spacing. Black or red plastic... Color Subject to Availability.			
BP-2	1.70	1.50	1.25


## RCA / PHONE PLUG ADAPTERS


	RCA jack to RCA jack CAT# AD-3 75¢ each
	Dual RCA Jack Couplers CAT# AD-203 \$1.50 each
	RCA plug to RCA plug CAT# AD-33 75¢ each
	RIGHT-ANGLE RCA JACK ADAPTER Gold-plated. CAT# RCA-RT \$1.00 ea. 10 for 85¢ each • 100 for 65¢ each
	RCA plug to two RCA jacks CAT# AD-4 \$1.00 each


 RCA jack to two RCA plugs  
CAT# AD-4M \$1.00 each


 RCA jack to 3.5mm mono plug  
CAT# RCA-3.5 75¢ each


 3.5 mm stereo plug to 1/4" stereo jack  
CAT# ADMP-2 75¢ each

 3.5 mm mono to 3.5 mm stereo  
CAT # ADMP-4 75¢ each

 2.5mm stereo plug to 3.5mm stereo jack.  
CAT# AD-21 \$1.75 each


 3.5 mm stereo plug to 2.5 mm stereo jack  
CAT# AD-25 \$1.00 each


 1/4" mono jack to RCA plug  
CAT# 54-421 \$1.00 each


 1/4" mono plug to RCA jack  
CAT# AD-5 75¢ each


 1/4" stereo plug to 3.5 mm stereo jack  
CAT# ADMP-1 75¢ each

 3.5mm mono plug to 1/4" jack.  
CAT# AD-26 \$1.00 each

 3.5mm stereo plug to 2 RCA jacks  
CAT# CB-52 \$1.25 each

 1/4" stereo plug to two RCA plugs  
CAT# AD-55 \$1.85 each

 1/4" mono plug to two RCA jacks  
CAT# AD-52 \$1.35 each

 3.5mm stereo jack to 2 RCA plugs  
CAT# AD-18 \$1.25 each

## XLR ADAPTERS

 XLR Coupler Male to Male  
CAT# XLR-320 \$4.25

 XLR Coupler Female to Female  
CAT# XLR-310 \$4.50





 XLR Male To 1/4 Plug  
CAT# XLR-340 \$3.75

 XLR Female To 1/4 Plug  
CAT# XLR-330 \$5.60

## 3 PIN XLR CONNECTORS

CAT#	1-9	10-99	100±
<b>CHASSIS MOUNT FEMALE</b>			
Metal 1.42" x 1.05" mounting flange. Mounts in 0.94" dia. hole. Solder lugs.			
MIKE-3CF	2.00	1.75	1.50
<b>CHASSIS MOUNT MALE</b>			
Metal 1.41" x 0.86" mounting flange. Mounts in 0.75" dia. hole. Solder lugs.			
MIKE-3CM	1.75	1.50	1.25
<b>XLR FEMALE RECEPTACLE</b>			
Neutrik NC3FAH.			
Horizontal PCB mount.			
XLR-3FC	0.65	0.50	
<b>XLR MALE RECEPTACLE</b>			
Neutrik NC3MAH.			
Horizontal PCB mount.			
XLR-3MC	0.85	0.65	

### INLINE XLR CONNECTORS

CAT#	1-9	10-99	100+
 IN-LINE FEMALE <b>MIKE-3F</b>	2.50	2.35	2.00
 IN-LINE MALE <b>MIKE-3M</b>	2.00	1.80	1.60
 3-Pole, female. Neutrik # NC3FX <b>XLR-3FX</b>	3.00	2.85	2.65
 3-Pole, female, black. Neutrik # NC3FX-B <b>XLR-3FXB</b>	3.75	3.60	3.35

### MICROPHONE EXTENSION CABLES



3-pin XLR plug to 3-pin XLR jack. Nickel-plated zinc-alloy connectors. Fully Shielded low-loss cable. Flexible black rubber jacket.

		each	10
20' Cable	<b>CAT# CB-295</b>	\$8.50	7.50
60' Cable	<b>CAT# CB-298</b>	\$16.75	

### MICROPHONE CABLE XLR - 1/4"



16', good-quality, fully-shielded low-loss cables. Flexible black jacket. 1/4" phone plug to XLR female.

**CAT# CB-289** \$4.75 each • 10 for \$4.50 each

### HYBRID XLR & 1/4" STEREO JACK

Neutrik # NCJ9FI-H. Space saving combination of 2 connectors, 3-pole XLR receptacle and a switching 1/4" stereo phone jack, in one plastic housing. XLR latch. Rear panel mount, 29mm dia. hole. Horizontal pc mount. **CAT# XLR-14J** \$2.50 ea. 10 for \$2.30 ea. • 100 for \$1.90 ea.



### CABLES WITH 1/4" PHONE PLUGS

#### MONO 1/4" PLUGS BOTH ENDS

10' SPECIAL  
**CAT# MCB-10** \$2.75 ea. • 10 for \$2.50 ea.

#### STEREO 1/4" PLUGS BOTH ENDS

6' CABLE  
**CAT# MCB-6S** \$4.00 ea. • 10 for \$3.60 ea.

15' CABLE  
**CAT# MCB-15S** \$6.00 ea. • 10 for \$5.40 ea.

### CABLES WITH 1/4" MONO PLUG & JACK

6' cable		<b>REDUCED PRICE!</b>
<b>CAT# MCB-6M</b>		
\$3.50 each		
10 for \$3.00 each		
15' cable		
<b>CAT# MCB-15M</b>		
\$5.00 ea. • 10 for \$4.50 ea.		
25' cable		
<b>CAT# MCB-25M</b>		
\$7.50 ea. • 10 for \$7.00 ea.		


### 5 PIN DIN PLUGS / JACKS 240°

 5-PIN DIN PLUG <b>CAT# DIN-524</b>	\$1.00 each
 5-PIN DIN SOCKET <b>CAT# DIN-524C</b>	\$1.25 each

### 5 PIN DIN PLUGS / JACKS 180°

 Switchcraft # 05BL5M. <b>CAT# SWC-5BL</b>	\$3.50 each
 <b>CAT# DIN-5</b>	\$1.25 each 10 for \$1.10 each
 <b>CAT#</b>	each 10 100+
5 PIN CHASSIS MOUNT <b>DIN-5C</b>	1.60 1.45 1.25
 5 PIN DIN JACK, PC MT. <b>DIN-5PC</b>	.50 .45 .30

### 2.5MM PLUGS

 MONO, PLASTIC <b>PMMP</b>	.40	.35	.30
--	-----	-----	-----

### MONO PLUG 14' CABLE

22 AWG stranded wire  
**CAT # CB-119** Large quantity available.  
\$1.10 ea. • 10 for 85¢ ea. • 100 for 55¢ ea.

### 2.5MM STEREO JACK

For 3-conductor stereo, 2.5mm sub-mini phone plug. 5mm diameter, plain, non-threaded bushing. PC leads.



**CAT# MJS-1** 50¢ each • 100 for 40¢ each

### SHIELDED AUDIO CABLES

#### SINGLE RCA CABLES

Shielded one conductor audio cable with RCA style phone plug both ends.



	CAT#	1-9	10-99	100+
<b>6 feet</b>	<b>ACB-6</b>	1.10	1.00	.70
<b>10 feet</b>	<b>ACB-10</b>	1.30	1.15	.85
<b>25 feet</b>	<b>ACB-25</b>	2.25	2.00	1.65

#### DUAL SHIELDED RCA CABLES

Shielded cables with molded color coded RCA pin plugs both ends. Used for stereo/audio hook-up.



	CAT#	1-9	10	100
3 FT	<b>DCB-36</b>	\$1.00	85¢	75¢
6 FT	<b>DCB-72</b>	\$1.30	\$1.10	85¢
12 FT	<b>DCB-144</b>	\$2.50	\$2.00	\$1.50
25 FT	<b>DCB-300</b>	\$3.50	\$3.00	\$2.60
50 FT	<b>DCB-600</b>	\$7.35	\$7.00	\$6.75

### 3.5MM STEREO PLUG TO TWO RCA PLUGS



Commonly used to connect portable audio players to home stereos and to connect speakers to computers.

Length	CAT#	1-9	10	100
<b>5 feet</b>	<b>CB-42</b>	1.50	1.25	1.00
<b>6 feet</b>	<b>CB-390</b>	1.75	1.55	1.30
<b>12 feet</b>	<b>CB-406</b>	2.25	2.05	1.55

## CABLES W/ 3.5MM STEREO PLUGS

Ideal for connecting iPods, MP3 players and other audio devices. Molded 3.5mm stereo phone plugs at each end.

### 3.5MM STEREO PLUGS BOTH ENDS

	CAT#	1-9	10	100
1 foot	CB-424	\$1.20	\$1.05	90¢
6 foot	CB-121	\$1.50	\$1.25	\$1.05
12 foot	CB-389	\$2.00	\$1.65	\$1.35

### 24" DUAL-SHIELDED CABLE W/ 3.5MM PHONE PLUGS

CAT# CB-461

\$1.25 each

10 for \$1.00 each



### 6' CABLE W/ 3.5MM STEREO PHONE PLUG

3-conductor, 24 AWG cable.

Right-angle 3.5mm stereo phone plug.

Strain-relief at end.

CAT# CB-220 \$1.25 ea. • 10 for \$1.00 ea.



6' CABLE CAT# CB-333 \$1.60 each  
10 for \$1.45 each • 100 for \$1.25 each

10' CABLE CAT# CB-371 \$2.00 each  
10 for \$1.80 each 100 for \$1.60 each

25' CABLE CAT# CB-188 \$3.50 each

10' 3.5MM EXT. CABLE W/ 1/4" PLUG ADAPTER

CAT# CB-423 \$2.50 each

10 for \$2.25 each



### Y-CABLE, 6 INCH

3.5mm stereo phone plug to two 3.5mm stereo phone jacks.

CAT# AD-54 \$1.35 each



3.5mm stereo plug to two 3.5mm stereo jacks

CAT ADMP-5 90¢ each  
10 for 75¢ each



### EXTENSION CORDS, 3.5MM PHONE PLUGS

3.5mm stereo plug to 3.5mm stereo jack. Shielded audio cables. Black PVC jacket. Molded plugs and jacks.

10' COILED EXTENSION CORD

CAT # CB-185 \$ 2.65 each

10 for \$2.20 each • 100 for \$1.80 each



25' COILED EXTENSION CORD

CAT # CB-186 \$ 3.75 each

10 for \$3.60 each • 100 for \$3.40 each

## CABLES W/ 3.5MM MONO PLUGS

### 3.5 MM MONO PLUG BOTH ENDS

Shielded cables with molded plugs.



	CAT#	1-9	10	100
2 foot	CB-352	1.00	.90	.65
6 foot	CB-3561	1.25	1.00	.80
10 foot	CB-3510	1.50	1.25	.95

### 3.5 MM MONO PLUG TO RCA PLUG

6 foot shielded cable.

CAT# CB-364 \$1.55 each

10 for \$1.40 each • 100 for \$1.05 each



### 3' SHIELDED CABLE / 3.5MM MONO PLUG

3.5mm mono phone plug on flexible 3 ft shielded cable.

Unidentified bead device (antenna?)

on other end. CAT# CB-145

2 for \$1.00 • 100 for 35¢ each



## CO-AX POWER PLUGS & JACKS

### CO-AX POWER PLUGS

	CAT#	1-9	10-99	100+
2.1mm I.D. - 5.5mm O.D.	DCSID	1.00	.90	.85
2.5mm I.D. - 5.5mm O.D.	DCLID	1.00	.90	.85
1.7mm I.D. - 5.0mm O.D.	DCP-17	1.00	.90	.85
1.3mm I.D. - 3.5mm O.D.	DCP-13	1.00	.90	.85

2.1mm coax power jack with 10" color-coded leads. 2.1mm id x 5.1mm od. CAT# CB-209 \$1.75 each



Coax power plug, 2.1mm id x 5.1mm od. 10" color-coded leads.

CAT# CB-213 \$1.65 each



### 2' CABLE with 2.1MM CO-AX PLUGS

Plugs both ends. Red/Black zip cord.

CAT# CB-204

\$2.35 each • 100 for \$1.95 each



### 2.1MM POWER Y-ADAPTER

Use one power source for two devices.

Two 2.1mm coax plugs to one 2.1mm coax jack.

CAT# CB-207 \$2.25 each

100 for \$2.00 each



### 2.1 MM D.C. "CO-AX" POWER JACKS

Mates with CAT# DCSID. All jacks have a normally closed shunt that opens when plug is inserted.

	CAT#	1-9	10-99	100+
solder lugs. --- <b>Quantity Special!</b>	CAT# DCJ-1	.35	.30	.19
		500 for 16¢ each	• 1000 for 12¢ each	

	Panel mount			
	DCJ-21	2.20	2.00	1.70

6' cable with molded 2.1mm co-ax jack.

CAT# CB-216 \$3.00 each

10 for \$2.75 each 100 for \$2.25 each



Molded 2.1mm coax power jacks on each end. Two ft. red/black zip cord.

CAT# CB-208 \$3.50 each



## 2.5 MM D.C. "CO-AX" POWER JACKS

Mates with CAT# DCLID. All jacks have a normally closed shunt that opens when plug is inserted.

CAT#	1-9	10-99	100+
Panel mount DCJ-25	2.20	2.00	1.70
PC mount. Large quantity available. DCJ-17	.10	.08	.05
	1000 for 3¢ each		

6' cable w/ 2.5mm  
co-ax power jack

**CAT# CB-296** \$2.25 each  
10 for \$2.15 each • 100 for \$2.05 each



## 1.3MM COAX POWER JACK

Normally closed shunt opens when plug is inserted. Fits coax plugs with 3.5mm od, 1.3mm id. **CAT# DCJ-27** 35¢ each  
10 for 30¢ each • 100 for 20¢ each



## 6' CABLE W/ COAX POWER PLUG

Right-angle coax power plug, 4mm o.d. x 1.7mm i.d., on 6' cable with strain relief. Plug fits many "netbook" computers & GPSs.  
**CAT# CB-224** \$2.50 each



## WEATHER-RESISTANT CONNECTORS

Mating, weather-resistant polarized connectors. 12" red and black. Stranded wire leads.


10 gauge **CAT# CON-321** \$3.00 each  
10 for \$2.75 each • 100 for \$2.25 each

14 gauge **CAT# CON-319** \$2.40 each  
10 for \$2.20 each • 100 for \$1.75 each

18 gauge **CAT# CON-320** \$1.85 each  
10 for \$1.70 each • 100 for \$1.25 each

## RC MODEL CONNECTORS

### 2 CONDUCTOR, RC BATTERY CONNECTORS



15 Amp, two-conductor locking nylon connectors. Industry standard for remote control cars. 5.5" silicon-rubber-insulated leads (16 AWG) are very flexible and heat-resistant.

PLUG **CAT# CON-210P** \$1.25 each  
10 for \$1.10 each • 100 for 95¢ each

SOCKET **CAT# CON-210S** \$1.25 each  
10 for \$1.10 each • 100 for 95¢ each

## BEC-JST TRANSMITTER CONNECTORS

Red & black leads. Flexible silicone rubber insulation. 22 AWG stranded wire. BEC-JST

Male, battery end, 6" leads.

**CAT# CON-230P**  
\$1.75 each • 20 for \$1.50 each



Female -- Motor end, 6" leads.

**CAT# CON-230S**  
\$1.75 each • 20 for \$1.50 each



## 2-CONDUCTOR MINI BATTERY CONNECTORS

With 7.5" red and black leads. Frequently used on rechargeable battery packs like those found in cordless phones. Mating headers for pc mounting also available.



**CONNECTOR, 0.1" SPACING (Beige)**

**CAT# SBC-2** 60¢ each  
10 for 50¢ each • 100 for 35¢ each

**0.1" HEADER, PC MOUNT CAT# SBH-2**  
30¢ each • 10 for 25¢ each • 100 for 15¢ each

**CONNECTOR, 2MM SPACING (White)**

**CAT# SBC-1** 60¢ each  
10 for 50¢ each • 100 for 30¢ each

**2MM HEADER, PC MOUNT CAT# SBH-1**  
30¢ each • 10 for 25¢ each • 100 for 15¢ each

## 3 CONDUCTOR SERVO EXTENSION

Universal connectors fit both Futaba and Hi-Tec/JR(S). Male to female. Very flexible, 22 AWG stranded wire. Black, red, white silicone rubber insulation.



Length	CAT#	Price	20+
4"	<b>CON-404</b>	\$2.60	\$2.30
6"	<b>CON-406</b>	\$2.75	\$2.40
12"	<b>CON-412</b>	\$3.25	\$2.85
18"	<b>CON-418</b>	\$3.65	\$3.20
24"	<b>CON-424</b>	\$3.95	\$3.45
36"	<b>CON-436</b>	\$4.50	\$3.95

12" long. Universal, Fits both Futaba and Hi-Tec/Jr connectors. Brown, red, orange leads.

**CAT# CON-412B** \$2.85 ea. • 10 for \$2.50 ea.

## RC BATTERY HARNESS

On-off slide switch with universal (Hi-Tec/Jr) connectors for battery and charger. Switch has a removable faceplate, 28 x 10.5mm with two screws on 20mm centers. 6.75" leads.

**CAT# SSW-74**  
\$5.00 each



## MULTI-PIN CONNECTORS

### LOCKING CONNECTORS

Mating pairs of polarized multi-pin connectors with wire leads. Pins on 2.5mm centers. Black nylon housing with release on male side of connector. Female side of connector can be snap-mounted into a rectangular chassis mounting hole. 12" color-coded leads, 22 AWG stranded wire on both connectors.



**CAT# CON-240** 2-CONDUCTOR  
\$1.35 ea. • 10 for \$1.20 ea. • 100 for 95¢ ea.

**CAT# CON-340** 3-CONDUCTOR  
\$1.45 ea. • 10 for \$1.30 ea. • 100 for \$1.05 ea.

**CAT# CON-440** 4-CONDUCTOR  
\$2.10 ea. • 10 for \$1.85 ea. • 100 for \$1.35 ea.

**CAT# CON-540** 5-CONDUCTOR  
\$2.40 each • 10 for \$2.10 each  
100 for \$1.85 each



**CAT# CON-640** 6-CONDUCTOR  
\$2.60 ea. • 10 for \$2.20 ea. • 100 for \$1.85 ea.

## PRE-WIRED CONNECTORS WITH MATING HEADERS

Nylon connectors and mating pc mount, snap-lock headers.


Female socket connector is pre-wired with 11" long color-coded stranded wire.



CAT#	pins	AWG	spacing	price
CON-232	2	18	0.156"	75¢ per set
CON-242	2	22	0.1"	70¢ per set
CON-233	3	18	0.156"	\$1.20 per set
CON-243	3	22	0.1"	\$1.00 per set
CON-234	4	18	0.156"	\$1.50 per set
CON-244	4	22	0.1"	\$1.30 per set
CON-236	6	18	0.156"	\$2.25 per set
CON-238	8	18	0.156"	\$3.00 per set
CON-2410	10	22	0.1"	\$2.90 per set

## JUMPERS W/ MATING HEADERS

3" jumpers with matching pc mount, snap-lock headers on both ends. 0.1" pin spacing. Color-coded leads. 24 AWG.




5 pin **CAT# CON-55**  
\$1.50 per set

8 pin **CAT # CON-88** \$2.40 per set

## 16-PIN IN-LINE SOCKET HEADER

16-contact female header. 0.1" spacing. Accepts pins of approximately 0.2" length. 1.41" x 0.30" x 0.32" high.



**CAT# SKT-16** 2 for \$1.00

## MATING CONNECTORS




Male / female ends connected with 10" wires

# of Cond.	CAT#	1-9	10-99	100
2	CON-20	2.00	1.75	1.30
3	CON-30	2.40	2.10	1.50
4	CON-40	2.50	2.25	1.60
6	CON-60	2.65	2.40	2.00
9	CON-90	3.00	2.75	2.20

## 0.1" SNAPPABLE HEADERS

.025" square header pins on 0.1" centers

### DOUBLE ROW



DESCRIPTION	CAT#	1-9	10-99	100+
2 X 6 straight	DHS-6	25¢	20¢	15¢
2 X 14 straight	DHS-14	45¢	40¢	25¢
2 x 14 right-angle	DHR-14	45¢	40¢	30¢
2 x 16 right-angle	DHR-16	50¢	45¢	35¢
2 X 40 straight	DHS-40	\$1.50	\$1.35	\$1.20

### SINGLE ROW



DESCRIPTION	CAT#	1-9	10-99	100+
32 pin straight	SHS-32	.45	.40	.30
40 pin straight	SHS-40	.85	.75	.60
40 pin right angle	SHR-40	1.50	1.32	1.20

## SHORTING JUMPERS FOR HEADERS

Designed for use with above double and single row headers. Used to short out adjoining posts on headers.

CAT#	1-9	10-99	100+
SJ-1	.10	.08	.07



## SNAPPABLE SIP SOCKETS, 0.10" CENTERS


Single-row, machine-contact socket. Pins on 0.10" centers. Snappable - can be cut to shorter lengths.



20-PIN	0.45" long pins		
	<b>CAT# SIP-20L</b>	\$1.00 ea.	10 for 85¢ each
30-PIN	<b>CAT# SIP-30</b>	\$1.20 ea.	10 for \$1.05 ea.
40-PIN	<b>CAT# SIP-40</b>	\$2.35 ea.	10 for \$2.05 ea.

## 48-PIN DUAL-ROW MACHINED PIN SOCKET

Machine contact, dual-row socket strip. 0.10" matrix. Snappable to smaller lengths.



48 Contact ( 2 x 24).

**CAT# DHP-48** \$2.45 ea. • 100 for \$2.15 ea.

## 20-PIN SIP HEADER

Machine contacts. 0.10" spacing. Snappable.



**CAT# SIP-20H**

\$1.00 each • 10 for 85¢ each

## 60 PIN (2 X 30) IN-LINE SOCKET

Samtec # CES-130-01-T-D.




Dual row low-profile pc mount socket strip. Pins on 0.1" x 0.1" centers.

**CAT# DSP-60** \$1.00 each

10 for 95¢ each • 100 for 80¢ each

## SHROUDED DUAL ROW HEADERS

Mates with dual row socket connectors, pins on 0.1" centers. Key-way in center for polarity. Gold-plated pins. PC mount.



14 PIN (2 X 7) HEADER	<b>CAT# STH-14</b>
20 PIN (2 X 10) HEADER	<b>CAT# STH-20I</b>
40 PIN (2 X 20) HEADER	<b>CAT# STH-40I</b>
50 PIN (2 X 25) HEADER	<b>CAT# STH-50I</b>
3 for \$1.00 • 100 for 20¢ each	

## IDC SOCKET CONNECTORS

Mates with double row posts on .100" centers. 0.100" x 0.100" for 0.050" pitch cables. Press mount on standard flat ribbon cable.

DESCRIPTION	CAT#	1-9	10+
10 pin (2 X 5)	RCSC-10	.55	.35
14 pin (2 X 7)	RCSC-14	.65	.55
16 pin (2 X 8)	RCSC-16	.75	.65
20 pin (2 X 10)	RCSC-20	.75	.65
26 pin (2 X 13)	RCSC-26	.75	.65



**SPECIAL** 10-PIN IDC SOCKET CONNECTOR 3M series 89. Non-polarized version of RCSC-10.

**CAT# RCSC-10S** 50¢ each  
10 for 30¢ each • 50 for 25¢ each



## 4" RIBBON CABLE



14-pin (7x2) socket connectors, 0.10" spacing, on each end.  
**CAT# CBL-39** \$1.75 each

